

DIFICIELT ASSOSSMENT AND AND CONCEPTION ASSOCIATION REPORTED FOR CONCEPTION

FLORIDA ATLANTIC UNIVERSITY Executive Summary

Spring 2022

American College Health Association National College Health Assessment III

ACHA-NCHA III

The ACHA-NCHA III supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.



Copyright 2022

All Rights Reserved

Table of Contents

I. Introduction and Notes 1 II. Findings A. General Health and Campus Climate 3 B. Nutrition, BMI, Physical Activity, and Food Security 3 C. Health Care Utilization 4 D. Impediments to Academic Performance 5 E. Violence, Abusive Relationships, and Personal Safety 7 F. Tobacco, Alcohol, and Other Drug Use 8 G. Sexual Behavior 11 H. Mental Health and Wellbeing 12 I. Acute Conditions 14 J. Ongoing or Chronic Conditions 15 17 K. Sleep

ACHA, the nation's principal advocate and leadership organization for college and university health, represents a diverse membership that provides and supports the delivery of health care and prevention and wellness services for the nation's 20 million college students. For more information about the association's programs and services, visit www.acha.org, and www.acha.org/NCHA.

18

Suggested citation for this document:

III. Demographics and Sample Characteristics

American College Health Association. American College Health Association-National College Health Assessment III: Florida Atlantic University Executive Summary Spring 2022. Silver Spring, MD: American College Health Association; 2022.

Introduction and Notes

Notes about this report:

3. About the use of sex and gender in this report: Survey results are reported by sex based on the responses to questions 67A, 67B, and 67C. The responses to these questions are used to create a new variable called RSEX. RSEX is used for organizing results in the ACHA-NCHA report documents. Respondents are reported as cis men or cis women only when their responses to 67A, 67B, and 67C are consistent with one another. If gender identity is consistent with sex at birth AND "no" is selected for transgender, then respondents are designated as either cis men or cis women in RSEX. If respondents select "yes" for transgender OR their sex at birth is not consistent with their gender identity, then they are designated as transgender/gender non-conforming in RSEX. A respondent that selects "intersex" for sex at birth, "no" for transgender, or selects a gender identity other than man or woman are designated as transgender/gender non-conforming in RSEX. A respondent that selects "another identity" on 67C is designated missing in RSEX. A respondent that selects "another identity" on 67C is designated missing in RSEX. A respondent that select - gender non-conforming in RSEX. A respondent that selects are non-conforming in RSEX. A respondent that selects "another identity" on 67C is designated missing in RSEX. A respondent that selects - gender non-conforming in RSEX. A respondent that selects are non-conforming in RSEX. A respondent that sele

1

I. What we've done to date

The ACHA NCHA has asked respondents about their gender identity for 12 years.

We have been trying to find the right balance between protecting students' privacy and making the results accessible to campus surveyors who may not use the statistical software that would be required to extract this information directly from the data files. Until now, we've erred on the side of protecting student privacy.

II. Why change?

The number of TGNC students in our samples has been increasing over the years. Between 2008 and 2015, the number of students identifying as TGNC was very small (less than 0.05%). We've learned over the years that gender identity is complex and fluid. To better capture this complexity, we began asking separate questions about sex at birth and gender identity in Fall 2015. Now TGNC students tend to represent 3 4% of the overall sample.

With greater number of students identifying as TGNC on the ACHA NCHA in recent years, we have a better opportunity to understand their needs and behaviors than we have in years past.

A number of health disparities between TGNC students and their cisgender peers have been well documented[1], and schools need readily available access to this data in order to better address the needs of TGNC students.

III. What's different about the way we are reporting?

First – a note about how we have been reporting ACHA NCHA results to date. RSEX is a variable we create based on the responses to the questions on sex at birth, whether or not a student identifies as transgender, and their gender identity. The RSEX variable had allowed us to sort respondents into 4 groups for reporting purposes: male, female, non binary, and missing. (Details about this variable can be found in all report documents.)

The value labels for RSEX have been revised to better represent gender identity rather than sex. A value of "1" has been changed from "Male" to "Cis Mon[2]." A "2" has been changed from "Female" to "Cis Women[3]." The value "3" has been changed from "non binary" to "Transgender and Gender Nonconforming" (TGNC), as it's a more accurate and inclusive term. The value "4" on RSEX remains "missing/unknown" and is used for students who do not answer all three questions.

The "missing/unknown" column in the Data Report document has been <u>replaced</u> with a "Trans/Gender Nonconforming" column. Because space limitations in the report prevent us from displaying all 4 categories plus a total column in the same document, it's now the "missing/unknown" column that is not displayed. Now when the Total of any given row is higher than the sum of the cis men, cis women, and TGNC respondents, the difference can be attributed to "missing/unknown" respondents that selected the response option presented in that row A column for "Trans/Gender Nonconforming" has been added the Executive Summary Report document.

IV. Important considerations with this new format

Percentages in the Executive Summary may represent a very small number of TGNC students and can limit the generalizability of a particular finding. To assist with the interpretation of the percentages displayed in the Executive Summary, the total sample size for each group has been added to every page.

We encourage ACHA NCHA surveyors to carefully review their report documents, particularly among the student demographic variables, and consider students who may be inadvertently identified in the results based on a unique combination of the demographic characteristics before sharing the documents widely or publicly. This is especially true for very small schools, as well as schools that lack diversity in the student population.

Think about the implication of working with and documenting very small samples – from the perspective of making meaningful interpretations, as mina9T well as the privacy of respondents. This is true of all demographic variables, and not limited to gender identity. You may consider a mina9TD@003¥J\$12831T13

^[1] Greathouse M, BrckaLorenz A, Hoban M, Huseman R, Rankin S, Stolzenberg EB. (2018). Queer spectrum and trans spectrum student experiences in American higher education: The analysis of national survey findings. New Brunswick, NJ: Tyler Clementi Center, Rutgers University.

^[2] Cisgender refers to people whose gender identity matches their sex assigned at birth. Cis men is short for "cisgender men" and is a term used to describe persons who identify as men and were assigned male at birth.

^[3] Cis women is short for "cisgender women" and is a term used to describe persons who identify as women and were assigned female at birth.

Findings

Students meeting the recommended guidelines for physical activit

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

College students reported:	Cis Men	Cis Women	Trans/ Gender Non-	Total
Percent (%)			conforming	
Flu vaccine within the last 12 month	42.9	36.6	44.8	39.0
Not starting the HPV vaccine series	31.7	30.6	34.5	30.8
Starting, but not completing HPV vaccine series	5.0	5.1	3.4	4.9
Completing HPV vaccine series	24.2	44.0	55.2	39.5
Not knowing their HPV vaccine status	39.1	20.3	6.9	24.7
Ever having a GYN visit or exam (females only)		61.5	34.5	
Having a dental exam in the last 12 months	60.1	66.3	58.6	64.5
Being tested for HIV within the last 12 months	17.1	19.6	13.8	18.3
Being tested for HIV more than 12 months ago	16.5	20.6	13.8	19.3
Wearing sunscreen usually or always when outdoors	16.6	36.8	17.2	30.2
Spending time outdoors with the intention of tanning at least once in the last 12 months	30.0	44.4	37.9	39.9

D. Impediments to Academic Performance

Respondents are asked in numerous places throughout the survey about issues that might have negatively impacted their academic performance within the last 12 months. This is defined as negatively impacting their performance in a class or delaying progress towards their degree. Both types of negative impacts are represented in the figures below. Please refer to the corresponding Data Report for specific figures on each type of impact. Figures in the left columns use all students in the sample as the denominator. Figures in the right columns use only the students that experienced that issue (e.g. students who used cannabis, reported a problem or challenge with finances, or experienced a particular health issue) in the denominator.

(items are listed in the order in which they appear in the survey)

	Negatively	impacted ac	ademic perfor	mance	Negatively	impacted acad	lemic perform	ance
	among <u>all students in the sample</u>				among <u>only</u> s	students that e	xperienced the	e issue
			Trans/				Trans/	
	Cis Men	Cis Women	Gender Non-	Total	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming				conforming	
Alcohol use	1.8		3.4		2.6	0.7	5.0	1.4
Cannabis/marijuana use	3.7	1.3	3.4	2.0	13.0	4.9	8.3	7.3
Problems or challenges in the last 12 months								
Career	15.9	17.3	31.0	17.5	39.4	42.8	75.0	43.8
Finances	23.2	24.4	34.5	24.3	49.4	44.9	55.6	46.7
Procrastination	48.2	46.2	48.3	46.4	65.8	63.6	60.9	64.4
Faculty	8.5	8.4	3.4	8.3	77.8	61.1	50.0	65.8
Family	14.6	16.0	20.7	15.7	40.7	33.9	31.6	35.4
Intimate Relationships	9.1	15.5	17.2	13.4	24.2	37.2	31.3	33.1
Roommate/housemate	5.5	7.1	3.4	6.3	31.0	27.5	16.7	27.7
Peers	3.7	5.3	3.4	4.6	20.7	25.0	10.0	22.4
Personal appearance	4.3	6.9	17.2	6.6	11.9	13.2	23.8	13.8
Health of someone close to me	13.4	14.2	17.2	14.2	37.3	32.9	33.3	34.7
Death of a family member, friend, or someone close to me	9.1	13.7	17.2	12.6	37.5	45.8	55.6	43.9
Bullying	2.4	1.5	3.4	1.8	44.4	22.2	20.0	26.2
Cyberbullying	2.4	1.3	3.4	1.7	50.0	31.3	33.3	35.7
Hazing	0.6	0.3	0.0	0.3	100.0	33.3	0.0	40.0
Microaggression	2.4	2.8	6.9	3.0	23.5	13.9	16.7	15.8
Sexual HarassmentHazing	1.2	2.5	3.4	2.2	40.0	21.7	12.5	22.0
Mixminggratioion	3.0	4.3	6.9	4.0	27.8	29.3	25.0	28.6

Sexu th7TD56 986 re64 350.04 .3Sexu th7rg459986 re64 350.04 .37 re1 i qich(37.932 818 1710.32 cmh(37.m190 in th1190 in -ble6luse ble6lufQ0.046836 re542 re5ing)Tj2 350.046

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

Negatively impacted academic performance among <u>all students in the sample</u>

$\begin{array}{ c c c c c c c } Percent (\%) & O.6 & O.3 & O.0 & O.0 & O.0 & O.0 & O.2 & O.0 & O.0 & O.0 & O.0 & O.2 & O.0 &$		among all students in the sample				
Percent (%) conforming Acute Diagnoses in the last 12 months Bronchitis 0.6 1.3 0.0 1.0 Chlamydia 0.0 0.3 0.0 0.2 Chicken Pox (Varicella) 0.0 0.0 0.0 0.0 Cold/Virus or other respiratory illness 6.7 10.7 20.7 9.9 Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Orthopedic injury 2.4 3.0 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0		~	~			
Acute Diagnoses in the last 12 months Bronchitis 0.6 1.3 0.0 1.0 Chlamydia 0.0 0.3 0.0 0.2 Chicken Pox (Varicella) 0.0 0.0 0.0 0.0 Cold/Virus or other respiratory illness 6.7 10.7 20.7 9.9 Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0		Cis Men	Cis Women	Gender Non-	Total	
Bronchitis 0.6 1.3 0.0 1.0 Chlamydia 0.0 0.3 0.0 0.2 Chicken Pox (Varicella) 0.0 0.0 0.0 0.0 Cold/Virus or other respiratory illness 6.7 10.7 20.7 9.9 Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0	Percent (%)			conforming		
Chlamydia 0.0 0.3 0.0 0.2 Chicken Pox (Varicella) 0.0 0.0 0.0 0.0 Cold/Virus or other respiratory illness 6.7 10.7 20.7 9.9 Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0	Acute Diagnoses in the last 12 months					
Chicken Pox (Varicella) 0.0 0.0 0.0 0.0 Cold/Virus or other respiratory illness 6.7 10.7 20.7 9.9 Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0	Bronchitis	0.6	1.3	0.0	1.0	
Cold/Virus or other respiratory illness 6.7 10.7 20.7 9.9 Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 3.8	Chlamydia	0.0	0.3	0.0	0.2	
Concussion 0.6 1.3 0.0 1.0 Gonorrhea 0.0 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0	Chicken Pox (Varicella)	0.0	0.0	0.0	0.0	
Gonorrhea 0.0 0.0 0.0 0.0 Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 3.8	Cold/Virus or other respiratory illness	6.7	10.7	20.7	9.9	
Flu (influenza or flu-like illness) 2.4 3.3 6.9 3.1 Mumps 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Concussion	0.6	1.3	0.0	1.0	
Mumps 0.0 0.0 0.0 0.0 Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Gonorrhea	0.0	0.0	0.0	0.0	
Mononucleosis (mono) 0.6 1.3 3.4 1.2 Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Flu (influenza or flu-like illness)	2.4	3.3	6.9	3.1	
Orthopedic injury 2.4 3.0 3.4 3.0 Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Mumps	0.0	0.0	0.0	0.0	
Pelvic Inflammatory Disease 0.0 0.5 0.0 0.3 Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Mononucleosis (mono)	0.6	1.3	3.4	1.2	
Pneumonia 1.8 1.0 0.0 1.2 Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Orthopedic injury	2.4	3.0	3.4	3.0	
Shingles 0.0 0.0 0.0 0.0 Stomach or GI virus or bug, food poisoning or gastritis 1.2 4.1 17.2 3.8	Pelvic Inflammatory Disease	0.0	0.5	0.0	0.3	
Stomach or GI virus or bug, food poisoning or gastritis1.24.117.23.8	Pneumonia	1.8	1.0	0.0	1.2	
	Shingles	0.0	0.0	0.0	0.0	
	Stomach or GI virus or bug, food poisoning or gastritis	1.2	4.1	17.2	3.8	
Urinary tract infection 0.6 4.3 0.0 3.0	Urinary tract infection	0.6	4.3	0.0	3.0	

Percent (%)		Cis Women	Trans/ Gender Non- conforming	Total
Any ongoing or chronic medical conditions diagnosed or treated in the last 12 months	16.5	32.5	58.6	29.3

Other impediments to academic performance

o mer impedimento to actaveme perior manee				
Assault (physical)	1.2	1.3	0.0	1.2
Assault (sexual)	1.2	2.5	3.4	2.2
Allergies	2.4	4.8	3.4	4.0
Anxiety	22.0	36.8	58.6	33.8
ADHD or ADD	12.2	11.2	31.0	12.6
Concussion or TBI	1.2	1.0	3.4	1.2
Depression	15.2	28.9	48.3	26.0
Eating disorder/problem	0.6	4.1	10.3	3.5
Headaches/migraines	6.7	14.0	24.1	12.4
Influenza or influenza-like illness (the flu)	0.6	3.0	6.9	2.5
Injury	4.9	2.0	0.0	2.6
PMS	0.6	15.7	20.7	11.9
PTSD	2.4	4.8	17.2	4.8
Short-term illness	5.5	4.1	6.9	4.5
Upper respiratory illness	3.7	8.9	10.3	7.5
Sleep difficulties	15.9	29.9	44.8	26.5
Stress	31.7	44.4	51.7	40.9

Negatively impacted academic performance among only students that experienced the issue

among <u>only</u> s	students that e	xperienced the	e issue
Cis Men	Cis Women	Trans/ Gender Non-	Total
		conforming	
20.0	45.5	0.0	35.3
0.0	16.7	0.0	11.1
0.0	0.0	0.0	0.0
36.7	36.2	85.7	38.5
50.0	62.5	0.0	60.0
0.0	0.0	0.0	0.0
33.3	44.8	66.7	43.2
0.0	0.0	0.0	0.0
50.0	71.4	100.0	70.0
40.0	42.9	20.0	40.0
0.0	50.0	0.0	50.0
100.0	50.0	0.0	63.6
0.0	0.0	0.0	0.0
33.3	45.7	62.5	46.9
25.0	24.6	0.0	24.3

Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
25.0	44.1	70.8	41.2

28.6	33.3	0.0	31.8
66.7	27.8	50.0	31.7
10.5	14.5	10.0	13.1
40.0	57.1	73.9	54.4
71.4	61.1	60.0	64.4
50.0	50.0	100.0	53.8
46.3	67.1	66.7	63.1
6.7	25.8	42.9	24.4
29.7	33.1	53.8	34.1
7.7	28.6	40.0	24.6
42.1	21.6	0.0	26.7
100.0	36.9	60.0	39.3
44.4	48.7	50.0	49.2
60.0	44.4	50.0	49.1
26.1	36.5	42.9	34.9
33.8	57.0	72.2	51.9
46.4	57.9	62.5	55.5

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

E. Violence, Abusive Relationships, and Personal Safety

Within the last 12 months, college students reported experiencing:	Cis Men	Cis Women	Trans/ Gender Non-	Total
Percent (%)	CIS MICH	CIS WOILCH	conforming	Totai
A physical fight	3.7	1.5	6.9	2.3
A physical assault (not sexual assault)	2.5	1.8	3.4	2.0
A verbal threat	16.3	12.5	24.1	14.0
Sexual touching without their consent	3.7	7.2	13.8	6.4
Sexual penetration attempt without their consent	1.2	3.3	0.0	2.5
Sexual penetration without their consent	1.2	3.8	0.0	2.9
Being a victim of stalking	3.1	5.2	6.9	4.6
A partner called me names, insulted me, or put me down to make me feel bad	13.0	16.3	7.1	14.8
A partner often insisted on knowing who I was with and where I was or tried to limit my contact with				
family or friends	9.3	7.4	3.6	7.7
A partner pushed, grabbed, shoved, slapped, kicked, bit, choked or hit me without my consent	3.1	3.3	0.0	3.0
A partner forced me into unwanted sexual contact by holding me down or hurting me in some way	0.6	4.1	0.0	2.9
A partner pressured me into unwanted sexual contact by threatening me, coercing me, or using alcohol or				
other drugs	1.2	4.3	3.6	3.4

College students reported feeling very safe :

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
On their campus (daytime)	82.8	70.4	51.7	73.4
On their campus (nighttime)	53.7	18.4	17.2	28.4
In the community surrounding their campus (daytime)	60.5	49.0	27.6	50.9
In the community surrounding their campus (nighttime)	36.2	16.1	13.8	21.7

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

Proportion of students (overall sample) who report misusing prescription medications (taking without a prescription, or taking more medication or more often than prescribed) in the past 3 months:

- · · ·	Cis Men	Cis Women	Trans/ Gender Non-	Total
Percent (%)			conforming	
Prescription stimulants	1.8	2.5	0.0	2.2
Prescription sedatives or sleeping pills	1.2	1.3	0.0	1.2
Prescription opioids	0.6	0.8	3.4	0.8

*Tobacco or nicotine delivery products used in the last 3 months

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
Cigarettes	6.1	3.6	10.3	4.5
E-cigarettes or other vape products (for example: Juul,				
etc.)	13.4	15.0	24.1	14.7
Water pipe or hookah	1.2	2.3	6.9	2.2
Chewing or smokeless tobacco	0.6	0.0	3.4	0.3
Cigars or little cigars	4.3	1.0	6.9	2.2
Other	0.0	0.3	0.0	0.2

*These figures use all students in the sample as the denominator, rather than just those students who reported tobacco or nicotine delivery product use in the last 3 months.

Students in Recovery

■ 4.3 % of college students surveyed (5.9 % cis men, 3.3 % cis women, and 4.5 indicated they were in recovery from alcohol or other drug use.

When, if ever, was the last time you:

	Drank Alcohol				
Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total	
Never	17.1	23.9	24.1	22.2	
Within the last 2 weeks	42.1	37.4	37.9	38.7	
More than 2 weeks ago but within the last 30 days	9.8	12.2	0.0	10.9	
More than 30 days ago but within the last 3 months	14.0	14.5	27.6	15.0	
More than 3 months ago but within the last 12 months	5.5	4.8	3.4	5.0	
More than 12 months ago	11.6	7.1	6.9	8.2	

*Students were instructed to include medical and non-medical use of cannabis.

Driving under the influence

■ 18.9 % of college students reported driving after having*any alcohol* in the last 30 days.*

*Only students who reported driving in the last 30 days and drinking alcohol in the last 30 days were asked this question.

Estimated Blood Alcohol Concentration (or eBAC) of college students. Due to the improbability of a student surviving a drinking episode resulting in an extremely high eBAC, all students with an eBAC of 0.50 or higher are also omitted from these eBAC figures. eBAC is an estimated figure based on the reported number of drinks consumed during the last time they drank alcohol in a social setting, their approximate time of consumption, sex, weight, and the average rate of ethanol metabolism. Only students who reported drinking alcohol within the last 3 months answered these questions.

.

Estimated BAC	Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
<.08		94.2	85.7	94.4	88.4
<.10		97.1	90.2	94.4	92.4
Mean		0.02	0.04	0.03	0.03
Median		0.01	0.02	0.01	0.01
Std Dev		0.03	0.05	0.04	0.05

%	transgend	ler/gender	non-conforming)
---	-----------	------------	-----------------

*Used Cannabis/Marijuana								
Cis Men	Cis Women	Trans/ Gender Non- conforming	Total					
52.1	57.0	41.4	54.7					
14.7	16.0	37.9	16.6					
3.1	2.5	0.0	2.5					
4.3	4.1	3.4	4.5					
8.0	4.6	3.4	5.5					
17.8	15.8	13.8	16.2					

^{45.3 %} of college students reported driving within 6 hours of using cannabis/marijuana in the last 30 days.*
*Only students who reported driving in the last 30 days and using cannabis in the last 30 days were asked this question.

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

*Reported number of drinks consumed the last time students drank alcohol in a social setting.

		Cis Men	Cis Women	Trans/ Gender Non-	Total
Number of drinks	Percent (%)	010111011		conforming	1000
4 or fewer		88.7	86.4	73.7	86.6
5		2.8	5.6	15.8	5.2
6		5.7	3.6	0.0	3.9
7 or more		2.8	4.4	10.5	4.2
Mean		2.6	2.6	3.2	2.6
Median		2.0	2.0	2.0	2.0
Std Dev		1.9	3.4	3.7	3.1
*Only students who reported drinking alcohol in the lo	ist three months we	re asked this d	uestion.		

Only students who reported drinking alcohol in the last three months were asked this question.

Reported number of times college students consumed five or more drinks in a sitting within the last two weeks:

	Among <u>all</u> students surveyed Trans/				ose who report ithin the last t		icol	
Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total	Cis Men	Cis Women	Gender Non- conforming	T
Did not drink alcohol in the last two weeks (includes non-			comor ming				comorning	
lrinkers)	58.3	62.8	62.1	61.5				
lone	33.7	24.7	17.2	27.1	80.9	66.4	45.5	
-2 times	6.7	9.7	13.8	8.9	16.2	26.0	36.4	
-5 times	1.2	2.3	6.9	2.2	2.9	6.2	18.2	
or more times	0.0	0.5	0.0	0.3	0.0	1.4	0.0	

*Only students who reported drinking alcohol in the last two weeks were asked this question.

*College students who drank alcohol reported experiencing the following in the last 12 months when drinking alcohol:

			Trans/		
Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total	
Did something I later regretted	9.5	13.3	30.0	13.3	
Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when					
someone reminds me)	6.0	9.3	15.0	8.5	
Brownout (forgot where I was or what I did for short periods of time, but can remember once someone					
reminds me)	10.3	15.2	25.0	14.3	
Got in trouble with the police	1.7	0.7	0.0	1.0	
Got in trouble with college/university authorities	0.9	0.4	0.0	0.5	
Someone had sex with me without my consent	1.7	1.5	0.0	1.5	
Had sex with someone without their consent	1.7	0.4	0.0	0.7	
Had unprotected sex	8.6	11.9	15.0	10.9	
Physically injured mnts who drank alcohol reported experiencing the following in th TD(Non8eunprotected	l sex).l report	ted 65nprotp@	TT4 1 Tf8. 16.0 () 8.16 6aal6x81	-1.uspor 0 0i4 1
	0.9	0.7	0.0	0.7	
	2.6	3.0	10.0	3.1	
	1.7	1.1	0.0	1.2	
	12.6	18.0	31.3	16.8	

*Only students who reported drinking alcohol in the last 12 months were asked these questions.

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

G. Sexual Behavior

the last tim • 6 a vou had.

When, if ever, was the last time you had:		Oral	sex			Vaginal inter	course	
	C' M		Trans/	T ()	C' M		Trans/	T ()
Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total	Cis Men	Cis Women	Gender Non- conforming	Total
Never	30.7	29.4	48.3	30.8	38.7	30.6	8	34.1
Within the last 2 weeks	35.0	35.4	24.1	34.4	30.7	40.3	27.6	36.7
More than 2 weeks ago but within the last 30 days	7.4	6.8	3.4	7.0	6.1	5.2	3.4	5.4
More than 30 days ago but within the last 3 months	7.4	8.6	10.3	8.5	6.1	7.0	6.9	6.8
More than 3 months ago but within the last 12 months	8.0	10.2	3.4	9.0	9.2	6.8	0.0	7.0
More than 12 months ago	11.7	9.6	10.3	10.4	9.2	10.1	13.8	10.0

		Anal inter	course	
			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
Never	68.1	78.0	69.0	75.0
Within the last 2 weeks	6.9	2.3	6.9	3.7
More than 2 weeks ago but within the last 30 days	7.5	2.3	3.4	3.7
More than 30 days ago but within the last 3 months	1.9	2.1	3.4	2.0
More than 3 months ago but within the last 12 months 8.eth	s 4.4	5.4	6.9	5.3
	11.3	9.8	10.3	10.2

*College students who reported having oral sex, or vaginal or anal intercourse within the last 12 months reported having the following number of sexual partners:

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
	1.0	0.8	7.1	1.1
	71.4	72.6	42.9	71.6
	10.2	11.5	21.4	11.4
	3.1	6.3	7.1	5.4
	14.3	8.7	21.4	10.5
	2.0	1.8	4.6	2.0
	1.0	1.0	1.5	1.0
	2.2	2.4	8.0	2.8
1 1		10 1	1 1 .1	

†Oedynfoordai(Neslithursartanethorisg) data aceptast&getths or anal intercourse in the last 12 months were asked this question.

College students who reported having oral sex, or vaginal or anal intercourse within the last 30 days who reported using a condom or another protective barrier most of the time or always:

Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
	3.0	5.6	25.0	5.4
	32.2	29.1	44.4	30.4
	30.4	5.6	66.7	22.7

Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
	71.4	73.7	72.7	73.5
	7.1	6.6	0.0	6.4
	20.2	19.3	27.3	19.5
	1.2	0.4	0.0	0.6

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

*Those students who reported using a contraceptive use the last time they had vaginal intercourse, reported they (or their partner) used the following methods: Г Т Trong/

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
Birth control pills (monthly or extended cycle)	36.7	45.8	62.5	44.0
Birth control shots	1.7	1.8	0.0	1.7
Birth control implants	6.7	4.8	12.5	5.4
Birth control patch	0.0	0.0	0.0	0.0
The ring	1.7	1.8	0.0	1.7
Emergency contraception ("morning after pill" or "Plan B")	5.0	6.5	25.0	7.1
Intrauterine device	13.3	17.3	25.0	16.2
Male (external) condom	41.7	35.7	50.0	37.3
Female (internal) condom	0.0	0.0	0.0	0.0
Diaphragm or cervical cap	0.0	0.0	0.0	0.0
Contraceptive sponge	0.0	0.0	0.0	0.0
Withdrawal	15.0	19.6	25.0	18.3
Fertility awareness (calendar, mucous, basal body temperature)	1.7	4.2	12.5	3.7
Sterilization (hysterectomy, tubes tied, vasectomy)	8.3	3.6	0.0	4.6
Other method	3.3	3.6	0.0	4.1
Male condom use plus another method	18.3	23.2	50.0	22.4
Any two or more methods (excluding male condoms)	13.3	18.5	25.0	17.4

*Only students who reported they or their partner used a method the last time they had vaginal intercourse were asked these questions.

College students who reported having vaginal intercourse (penis in vagina) within the last 12 months were asked if they or their partner used emergency contraception ("morning after pill" or "Plan B") in the last 12 months:

Yes (10.7 % cis men, 19.3 % cis women,

27.3 % trans/gender non-conforming)

College students who reported having vaginal intercourse (penis in vagina) within the last 12 months were asked if they experienced an unintentional pregnancy or got someone pregnant within the last 12 months:

Yes (1.2 % cis men, 3.1 % cis women, 0 % trans/gender non-conforming)

H. Mental Health and Wellbeing

Kessler 6 (K6) Non-Specific Psychological Distress Score (Range is 0-24)

			Trans/	
	Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming	
No or low psychological distress (0-4)	32.1	27.9	10.3	28.4
Moderate psychological distress (5-12)	48.4	46.5	44.8	46.6
Serious psychological distress (13-24)	19.5	25.6	44.8	25.0
Mean	8.09	8.69	12.00	8.70
Median	7.00	8.00	12.00	8.00
Std Dev	5.78	5.64	5.64	5.73

UCLA Loneliness Scale (ULS3) Score (Range is 3-9)

	Cis Men	Cis Women	Trans/ Gender Non-	Total
Percent (%)			conforming	
Negative for loneliness (3-5)	45.1	50.6	31.0	48.1
Positive for loneliness (6-9)	54.9	49.4	69.0	51.9
Mean	5.61	5.47	6.52	5.57
Median	6.00	5.00	6.00	6.00
Std Dev	1.92	2.00	1.96	2.00

Diener Flourishing Scale - Psychological Well-Being (PWB) Score (Range is 8-56)

(higher scores reflect a higher level of psychological well-being)

	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
Mean	44.60	45.67	37.90	44.88
Median	46.00	48.00	42.00	47.00
Std Dev	9.46	8.91	12.37	9.45

The Connor-Davison Resilience Scale (CD-RISC2) Score (Range is 0-8)

(higher scores reflect greater resilience)

	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
Mean	6.07	6.11	5.17	6.04
Median	6.00	6.00	5.00	6.00
Std Dev	1.67	1.59	2.16	1.66

Self injury ■ 10.3 % of college students surveyed (6.8 % cis men, 10.2 % cis women, and indicated they had intentionally cut, burned, bruised, or otherwise injured themselves within the last 12 months.

31.0 % trans/gender non-conforming)

Within the last 12 months, have you had problems or challenges with any of the following:					
	Trans/				
	Cis Men	Cis Women	Gender Non-	Total	
Percent (%)			conforming		
Academics	48.5	52.9	58.6	52.4	
Career	41.1	40.8	41.4	41.1	
Finances	47.9	54.6	62.1	53.2	
Procrastination	74.2	73.5	79.3	73.9	
Faculty	11.0	13.8	6.9	12.8	
Family	36.4	48.2	65.5	45.9	
Intimate relationships	38.0	41.9	57.1	41.5	
Roommate/housemate	17.8	26.2	21.4	23.2	
Peers	17.8	21.7	34.5	21.3	
Personal appearance	36.4	52.3	72.4	49.2	
Health of someone close to me	36.4	43.8	51.7	42.3	
Death of a family member, friend, or someone close to me	25.3	30.3	31.0	29.5	
Bullying	5.5	6.9	17.2	7.1	
Cyberbullying	4.9	4.1	10.3	4.7	
Hazing	0.6	0.8	3.4	0.8	
Microaggression	10.4	20.2	41.4	19.2	
Sexual Harassment	3.1	11.7	27.6	10.1	
Discrimination	11.0	15.1	27.6	14.4	
*Only students who reported a problem or challenge in the last 12 month	hs were asked	about level of dis	stress.		

moderate or high distress						
		Trans/				
Cis Men	Cis Women	Gender Non-	Total			
		conforming				
88.6	90.9	94.1	90.4			
82.1	76.3	83.3	78.3			
82.1	86.9	77.8	85.4			
56.2	70.1	82.6	66.8			
61.1	68.5	50.0	67.1			
67.8	72.7	84.2	72.9			
56.5	65.9	68.8	63.7			
48.3	61.8	16.7	56.9			
37.9	46.4	60.0	44.8			
55.9	62.4	81.0	62.5			
57.6	67.8	60.0	65.5			
68.3	79.7	77.8	77.0			
55.6	65.4	40.0	61.0			
37.5	75.0	33.3	57.1			
100.0	66.7	0.0	60.0			
47.1	43.0	41.7	42.1			
60.0	73.9	75.0	72.9			
33.3	52.5	50.0	48.2			

Students reporting none of the above	12.3	6.4	10.3	8.2
Students reporting only one of the above	7.4	8.4	3.4	7.9
Students reporting 2 of the above	8.0	8.7	0.0	7.9
Students reporting 3 or more of the above	72.4	76.6	86.2	76.0

*Of those reporting this issue, it caused moderate or high distress

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

Suicide Behavior Questionnaire-Revised (SBQR) Screening Score (Range is 3-18)

Demont (%)	Cis Men	Cis Women	Trans/ Gender Non-	Total
Percent (%)			conforming	
Negative suicidal screening (3-6)	74.2	73.8	37.9	72.0
Positive suicidal screening (7-18)	25.8	26.2	62.1	28.0
Mean	5.35	5.33	7.90	5.48
Median	4.00	4.00	8.00	4.00
Std Dev	3.25	3.25	3.90	3.34

Suicide attempt ■ 1.8 % of

1.8 % of college students surveyed(2.5 % cis men,1.5 % cis women, and3.4 % trans/gender non-conforming) indicated they had attempted suicide within the last 12 months.

Within the last 30 days, how would you rate the overall level of stress experienced:

	Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
No stress		3.7	2.0	6.9	2.8
Low		31.1	17.8	20.7	21.6
Moderate		46.3	43.3	34.5	43.5
High		18.9	36.9	37.9	32.1

I. Acute Conditions

College students reported being diagnosed by a healthcare professional within the last 12 months with:

	Cis Men	Cis Women	Trans/ Gender Non-	Total
Percent (%)			conforming	
Bronchitis	3.1	2.8	3.4	2.9
Chlamydia	1.9	1.6	0.0	1.5
Chicken Pox (Varicella)	1.9	0.5	0.0	0.9
Cold/virus or other respiratory illness (for example: sinus				
infection, ear infection, strep throat, tonsillitis,				
pharyngitis, or laryngitis)	18.9	30.0	24.1	26.7
Concussion	1.3	2.1	0.0	1.7
Gonorrhea	1.3	0.3	0.0	0.5
Flu (influenza) or flu-like illness	7.5	7.5	10.3	7.5
Mumps	0.0	0.5	0.0	0.3
Mononucleosis (mono)	1.3	1.8	3.4	1.7
Orthopedic injury (for example: broken bone, fracture,				
sprain, bursitis, tendinitis, or ligament injury)	6.3	7.2	17.2	7.7
Pelvic Inflammatory Disease	0.0	1.0	0.0	0.7
Pneumonia	1.9	2.3	0.0	2.1
Shingles	0.6	0.8	0.0	0.7
Stomach or GI virus or bug, food poisoning or gastritis	3.8	9.0	27.6	8.3
Urinary tract infection	2.5	18.1	3.4	12.8

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

J. Ongoing or Chronic Conditions

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

Mental Health	College students reported <u>ever</u> being diagnosed with the following: Trans/		contact wit		d, those report r MH professi months Trans/			
Percent (%)	Cis Men	Cis Women	Gender Non- conforming	Total	Cis Men	Cis Women	Gender Non- conforming	Total
Percent (%)			comorning				comorning	
	17.3	12.4	31.0	15.1	57.1	62.5	100.0	66.3
	3.7	3.1	3.4	3.2	16.7	16.7	100.0	21.1
	24.5			34.5	55.0	64.5		64.2
	4.3	1.8	14.3	3.4	0.0	57.1	25.0	35.0
	1.8	3.9	17.2	3.9	66.7	80.0	100.0	82.6
	0.0	1.8	10.3	1.7	0.0	71.4	66.7	70.0
	15.3	28.2	62.1	26.4	52.0	73.1	77.8	70.8
Eating Disorders (for example: Anorexia Nervosa, Bulimia								
	2.5				75.0	47.6		60.0
Gambling Disorder Insomnia	0.6 4.9				0.0 37.5	0.0 52.9		0.0 51.1
Obsessive-Compulsive and Related Conditions (for example: OCD, Body Dysmorphia, Hoarding, Trichotillomania and other body-focused repetitive								
behavior disorders)	4.3	4.9	27.6	6.0	71.4	63.2	87.5	71.4
PTSD (Posttraumatic Stress Disorder), Acute Stress Disorder, Adjustment Disorder, or another trauma- or								
stressor- related condition	5.0	7.7	34.5	8.5	62.5	76.7	70.0	70.0
	1.2	0.3	0.0	0.5	0.0	100.0	0.0	33.3
	1.2	0.5	0.0	0.7	50.0	50.0	0.0	50.0
	0.6				0.0	100.0	0.0	50.0

*Only students who reported ever being diagnosed were asked about contact with a healthcare or mental health professional within the last 12 months.

Percent (%)	Cis Men	Cis Women	Trans/ Gender Non- conforming	Total
	64.4	55.1	24.1	55.8
	11.0	13.8	6.9	13.0
	12.3	24.4	58.6	22.8
	12.3	6.7	10.3	8.4

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

*Of those ever diagnosed, had contact with healthcare or MH professional within last 12

	College students reported ever being				healthcare or MH professional within last 12				
STI's/Other chronic infections	diagnosed with the following:			months					
			Trans/					Trans/	
	Cis Men	Cis Women	Gender Non-	Total		Cis Men	Cis Women	Gender Non-	Total
Percent (%)			conforming					conforming	
Genital herpes	1.2	2.6	10.3	2.6		0.0	30.0	66.7	33.3
Hepatitis B or C	0.0	0.8	0.0	0.5		0.0	66.7	0.0	66.7
HIV or AIDS	0.6	0.3	0.0	0.3		100.0	100.0	0.0	100.0
Human papillomavirus (HPV) or genital warts	0.0	4.1	3.4	3.1		0.0	37.5	100.0	38.9

*Only students who reported ever being diagnosed were asked about contact with a healthcare or mental health professional within the last 12 months.

	College students reported <u>ever</u> being					*Of those ever diagnosed, had contact with healthcare or MH professional within last 12				
Other Chronic /Ongoing Medical Conditions	diagnosed with the following:				months					
	Cis Men	Cis Women	Trans/ Gender Non-	Total	Cis Men	Cis Women	Trans/ Gender Non-	Total		
Percent (%)			conforming				conforming			
Acne	21.5				28.6		25.0			
Allergies - food allergy	11.7				47.4					
Allergies - animals/pets	11.7	17.5	20.7	15.9	31.6	23.9	50.0	26.9		
Allergies - environmental (for example: pollen, grass, dust,										
mold)	19.0	30.7	39.3	27.7	23.3	28.8	36.4	28.0		
Asthma	12.9	14.7	14.3	14.5	38.1	50.0	0.0	42.9		
Cancer	4.3	1.5	3.4	2.4	50.0	66.7	100.0	61.5		
Celiac disease	1.2	0.8	0.0	0.9	100.0	66.7	0.0	80.0		
Chronic pain (for example: back or joint pain, arthritis,										
nerve pain)	4.9	11.6	24.1	10.4	50.0	66.7	85.7	67.2		
Diabetes or pre-diabetes/insulin resistance	4.9	4.1	10.3	4.8	75.0	73.3	100.0	74.1		
Endometriosis	0.6	3.9	0.0	2.7	0.0	53.3	0.0	50.0		
Gastroesophageal Reflux Disease (GERD) or acid reflux	5.0	7.5	10.3	7.0	37.5	55.2	66.7	51.2		
Heart & vascular disorders (for example: atrial fibrillation										
or other cardiac arrhythmia, mitral valve prolapse or other										
valvular heart disease, congenital heart condition)	5.6	3.9	13.8	4.8	88.9	66.7	75.0	75.0		
High blood pressure (hypertension)	11.1	6.7	10.3	8.0	72.2	73.1	66.7	72.3		
High cholesterol (hyperlipidemia)	11.2	6.5	17.9	8.4	55.6	76.0	100.0	69.4		
Irritable bowel syndrome (spastic colon or spastic bowel)	4.9	6.2	17.2	6.6	50.0	50.0	60.0	48.7		
Migraine headaches	9.3				20.0					
Polycystic Ovarian Syndrome (PCOS)	0.6				100.0					
Sleep Apnea	5.6				33.3					
Thyroid condition or disorder	1.9				66.7					
Urinary system disorder (for example: bladder or kidney		,	511							
disease, urinary reflux, interstitial cystitis)	1.2	3.1	3.4	2.7	100.0	75.0	100.0	75.0		
*Only students who reported ever being diagnosed were asked about contact with a healthcare or mental health professional within the last 12 months.										

Cis Men n =	164
Cis Women n =	394
Trans/GNC n =	29

Students who reported being diagnosed with diabetes or pre-diabetes/insulin resistance, indicated they had:

Trans/ Cis Men Cis Women Gender Non- Total

Demographics and Sample Characteristics

Age		Students describe themselves as	
18 - 20 years:	32.2 %	Straight/Heterosexual:	70.7 %
21 - 24 years:	25.7 %	Asexual:	2.0 %

First generation students	43.5 %	Participated in organized college athletics:	
(Proportion of students for whom no		Varsity:	2.0 %
parent/guardian have completed a		Club sports:	3.6 %
bachelor's degree)		Intramurals:	2.9 %
Do you have any of the following?		Member of a social fraternity or sorority:	
Attention Deficit/Hyperactivity Disorder		Greek member:	4.7 %
(ADD or ADHD):	18.1 %		
Autism Spectrum Disorder:	3.4 %		
Deaf/Hearing loss:	1.9 %		
Learning disability:	4.6 %		
Mobility/Dexterity disability:	2.0 %		
Blind/low vision:	4.6 %		
Speech or language disorder:	1.9 %		